

Meco Meters Private Limited

Correspondance Address : Plot No. EL-1, MIDC Electronic Zone, TTC Industrial Area, Mahape,
Navi Mumbai - 400 710 INDIA

Branch Office : Plot No. EL-60, MIDC Electronic Zone, TTC Industrial Area, Mahape, Navi Mumbai - 400 710 INDIA

C/o Tel : 0091-22-2767 3311 - 16 (Sales), 27673300 (Board) • **Fax** : 0091-22-27673310, 27673330

E-mail : info@mecoinst.com • **Web** : www.mecoinst.com

SR	DESCRIPTION	MODEL	UNIT RATE (INR)
A	Digital Multimeters		
1	3½ Digit 1999 Count Autoranging with Big Display, Temperature, Auto Power-Off & Auto Manual Range Selection	9A06	1426
2	3½ Digit 1999 Count with Big Display, Audible Countinuty, Diode & hFE Test	603	1320
3	3¾ Digit 3999 Count Autoranging with Capacitance, Frequency, Duty Cycle, Temperature, Auto Power-Off & Auto Manual Range Selection	801AUTO	1728
4	4½ Digit 19999 Count TRMS with Capacitance, Frequency, Auto Power-Off, Diode & Audible Countinuty	450-TRMS	5346
5	5 Digit 80000 Count Autoranging with 20KHz Bandwidth, Counter & Function Generator with RS-232 Port with Software	81K	6912
6	5 Digit 80000 Count Autoranging TRMS with 20KHz Bandwidth, Counter & Function Generator with RS-232 Port with Software	81K-TRMS	8550
7	6½ Digit Bench Top Digital Multimeter	65P	75600
B	Digital Clampmeters / Tongtesters		
1	3¾ Digit 3999 Count 400A AC Autoranging	225 Auto	1296
2	3¾ Digit 3999 Count 1000A AC Autoranging with Frequency	2250-Hz AUTO	2052
3	3¾ Digit 3999 Count 1000A AC Autoranging with Frequency & Capacitance	3150	2052
4	3¾ Digit 3999 Count 600A AC (TRMS) with Frequency & Temperature	2727	4140
5	3¾ Digit 3999 Count 1000A AC (TRMS) Autoranging with Frequency	2025-Hz (TRMS)	3060
6	3½ Digit 1999 Count 1000A AC (TRMS) with Frequency	3636	4364
7	3¾ Digit 3999 Count 600A AC/DC Autoranging with Frequency & Duty Cycle	3690 AUTO	2970
8	3¾ Digit 3999 Count 1200A DC/1000A AC (TRMS) with Capacitance & Frequency	3600	7560
9	3¾ Digit 6000 Count 2000A DC/2000A AC (TRMS) with Capacitance & Frequency	2003A	7560
C	Digital Insulation Testers		
1	0 - 20MΩ, 100V DC	DIT 99A	1728
2	0 - 200MΩ, 250V DC	DIT 99B	
3	0 - 200MΩ, 500V DC	DIT 99C	
4	0 - 200MΩ, 1000V DC	DIT 99D	
5	0 - 2000MΩ, 1000V DC	DIT 99E	
D	Milli-Ohm and Micro-Ohm Meters		
1	Milli-Ohm Meter with Software (upto 5A)	7002	43200
2	Micro-Ohm Meter with Software (upto 10A)	7272	77400

SR	DESCRIPTION	MODEL	UNIT RATE (INR)
E	Clamp-On Earth / Ground Resistance & Leakage Current Testers		
1	Clamp-On Leakage Current Tester	4671	16200
2	Clamp-On Earth / Ground Resistance & Leakage Current Tester with Jaw Opening 23mm	4680	63720
3	Clamp-On Earth / Ground Resistance & Leakage Current Tester with Jaw Opening 35mm	4680B	72360
F	Clamp-On Power Meters		
1	Clamp-On TRMS Auto Ranging Power Meter (1000A, 600kW) with kW, kVA, HP, PF, Phase Angle, Frequency, AC+DC uA, AC A, AC-DC V, Ω , W, Capacitance, Diode, Temperature with 3Phase Adaptor	3510PHW	11400
2	3 ϕ / 1 ϕ Clamp-On TRMS Auto Ranging Power Meter (Power Analyzer / LoadManager) (2000A, 2000kW) with AC+DC kW, V, A, kVA, kVAR, PF, Phase Angle, Frequency & Memory for Recording	4500	28080
G	Clamp-On Power & Harmonics Analyzers / Testers		
1	Power Harmonics and Leakage Tester	PLH 5760	21600
2	AC Clamp-On Power and Harmonics Tester	PHT 4545	30780
3	Power and Harmonics Analyzer - 1, 10, 100A AC Complete Portable Instrument consisting of Analyzer, 3 pcs. Current Clamp - On CT's (R,Y,B) of Triple Range 1, 10, 100A AC, 4 pcs. Voltage Test Leads of 3m each, 4 pcs. Alligator Clips for Voltage (R,Y,B,N), Carrying Bag, 8 pcs. Batteries, External DC Adaptor, Software CD, Users Manual, Software Manual & RS232-USB Cable	PHA 5850A	164160
4	Power and Harmonics Analyzer - 10, 100, 1000A AC Complete Portable Instrument consisting of Analyzer, 3 pcs. Current Clamp - On CT's (R,Y,B) of Triple Range 10, 100, 1000A AC, 4 pcs. Voltage Test Leads of 3m each, 4 pcs. Alligator Clips for Voltage (R,Y,B,N), Carrying Bag, 8 pcs. Batteries, External DC Adaptor, Software CD, Users Manual, Software Manual & RS232-USB Cable	PHA 5850B	164160
5	Power and Harmonics Analyzer - 300, 3000A AC Complete Portable Instrument consisting of Analyzer, 3 pcs. Flexible Current Clamp - On CT's (R,Y,B) of Dual Range 300, 3000A AC, 4 pcs. Voltage Test Leads of 3m each, 4 pcs. Alligator Clips for Voltage (R,Y,B,N), Carrying Bag, 8 pcs. Batteries, External DC Adaptor, Software CD, Users Manual, Software Manual & RS232-USB Cable	PHA 5850C	164160
H	Clamp-On CT's / Flexible AC Current Probes (High Current)		
1	100/1A AC	M1	8400
2	200/5A or 500/5A or 1000/5A AC (Any Single Range)	S	12000
3	100, 500, 1000 / 5A AC (Triple Range)	S	16200
4	Flexible AC Current Probes - 3000A AC	FLEX-3000A	10800
5	Clamp - On CT Suitable for Power & Harmonics Analyzer (Model : 5850) of Range : 1 / 10 / 100A AC. One Set = 3 pcs. (R,Y,B)	CT Set A	35100
6	Clamp - On CT Suitable for Power & Harmonics Analyzer (Model : 5850) of Range : 10 / 100 / 1000A AC. One Set = 3 pcs. (R,Y,B)	CT Set B	35100
7	Clamp - On CT Suitable for Power & Harmonics Analyzer (Model : 5850) of Range : 300 / 3000A AC. One Set = 3 pcs. (R,Y,B)	CT Set C	35100

SR	DESCRIPTION	MODEL	UNIT RATE (INR)
I Multifunction Meter			
1	Power Guard to measure TRMSV, TRMSA, kW, PF, kWh and EUT (220V,50Hz,10A max.)	PG09	2160
2	Power Guard to measure TRMSV, TRMSA, kW, PF, kWh and EUT (220V,50Hz,15A max. for 10 minutes)	PG09H	2160
J Energy Auditor / Electrical Appliance Tester			
1	Complete Portable Instrument consisting of MFM-96UMT, 3 pcs Current Clamp-On CT's (R,Y,B) of Triple Range ie. 100, 500, 1000/5A AC, 4 pcs Voltage Probes (R,Y,B, Black, One Side Banana / One Side Crocodile, 2m each), 6 pcs Connecting Lead Wires (R,Y,B & 3 x Black, One Side Banana / One Side "U", 2m each), RS-485 Communication Port, Instruction Manual, 3 Pin Power Cord, Power Master Software CD & Carrying Bag	Energy Auditor EAT-MFM-96U	66000
2	RS-485 to RS-232 Converter supplied with AC Mains Adaptor and Serial Port Interface Cable	RS-485 TO RS-232 Converter	4428
3	Installation and Commissioning Charges Per Man-Day (To and Fro, Conveyance, Boarding and Lodging Charges extra at Actual)	Per Man-Day	On Request
K Calibrating Equipment			
1	3 Phase Calibrator of Sinusoidal Currents & Voltages	3i - 74T	On Request
2	AC Multifunctional Calibrator	90P	
3	Multifunctional Calibrator	90DQ	
4	Universal Calibrator	90A	
5	Multifunction Process Calibrator for mA, mV, V, Hz, K, J, E & T Thermocouples	333	31860
6	Electric Energy - Saving Tester with Software CD	8550	On Request
L LCR Meter			
1	LCR Meter	LCR 999	18900
M Battery Capacity Tester			
1	Battery Capacity Tester - upto 500AH with Software	6363	46800
2	Battery Capacity Tester - upto 1200AH with Software	6390	82800
N Solar Module Analyzer (Photovoltaic I-V Curve Tester)			
1	Solar Module Analyzer	9009	90000
O Portable Paperless Recorder /			
1	Paperless Recorder	9090	99000
P Data Loggers for V,A & Temperature			
1	Datalogger - Voltage & Current	DL-V&A	6300
2	Datalogger - Temperature	DL-T	5220



SINCE 1962

Price List - MRP
Price List Effective 21 July 2010

SR	DESCRIPTION	MODEL	UNIT RATE (INR)
Q	Environmental Testing Instruments		
1	Dual Input Thermometer	901	4968
2	Infrared Thermometer	910	5832
3	Thermo Hygrometer	920	5850
4	Hygro Amemometer	961	7308
5	LUX Meter / Light Meter	930	6066
6	RPM / Tacho Meter (Non-Contact Type)	950	4680
7	Electrosmog Meter - (50MHz to 3.5GHz)	9720	13500
8	Electrosmog Meter - 3 Axis (10MHz to 8GHz)	9810	36000

R	Accessories / Optional		
1	One Pair of Test Leads suitable for DMM / DTT	TL - DMM / DTT	55
2	One Pair of Test Leads suitable for Insulation Tester	TL - IT	60
3	K Type Bead Probe (Upto 260°C) - suitable for use with DTT 2727, DTT 3510PHW etc	TPK-B	240
4	K Type Stick Probe (Upto 500°C) - suitable for use with DMM 9A06, DMM 801AUTO etc	TP-02	240
5	One Pair of Connecting Leads for Current Clamps (R or Y or B Coloured) with Both Side Banana Jack	2 meter 5 meter	240 600
6	One Pair of Connecting Leads for Current Clamps (R or Y or B Coloured) with One Side Banana Jack and One Side Crocodile Jack	2 meter 5 meter	240 600
7	One Set of 4 pcs. Connecting Leads for Voltage Measurement (R, Y, B & Black Coloured) with One Side Banana Jack and One side Crocodile Jack	2 meter 5 meter	500 1200

Business Terms and Conditions

- This Price List supercedes all our previous Price Lists. This Price List is subject to Mumbai jurisdiction only.
- **Order to be placed on M/s Meco Meters Pvt Ltd, Plot No. EL-1, MIDC Electronic Zone, TTC Industrial Area, Mahape, Navi Mumbai - 400 710**
- This price list is inclusive of all taxes.
- 100% payment by demand draft or cheque payable at Mumbai at time of collection of goods or 100% payment against documents through bank. Your bank charges to your account. Documents to be retired within 7 days from the date of presentation by bank, otherwise interest @ 21% p.a. to be paid extra.
- Please provide complete specifications and reference number and date of our correspondence at the time of placing order.
- All Instruments are calibrated through a chain of internal standards which are ultimately traceable to National Standards. However calibration and traceability certificate is issued only against specific requirement at extra charges. Please inform at the time of inquire / ordering.
- All products are guaranteed for a period of 12 months against defective workmanship as per our standard guarantee clause.
- Minimum order Rs 10000, or else handling charges Rs 200 extra per dispatch.
- Prices are subject to change without notice.